



**API Validation Commercial Results**  
ZTE F450

Date: July 6, 2011



**QUALCOMM® Proprietary**

**Restricted Distribution:** This document contains critical information about QUALCOMM products and may not be distributed to anyone that is not an employee of QUALCOMM, its affiliates or subsidiaries without the approval of Configuration Management.

QUALCOMM Incorporated reserves the right to make changes to the product(s) or information contained herein without notice. No liability is assumed for any damages arising directly or indirectly by their use or application. The information provided in this document is provided on an "as is" basis.

All data and information contained in or disclosed by this document is confidential and proprietary information of QUALCOMM Incorporated and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is to be held in confidence and in trust and will not be used, copied, reproduced in whole or in part, nor its contents revealed in any manner to others without the express written permission of QUALCOMM Incorporated.

QUALCOMM is a registered trademark and registered service mark of QUALCOMM Incorporated. Other product and brand names may be trademarks or registered trademarks of their respective owners.

Export of this technology may be controlled by the United States Government. Diversion contrary to U.S. law prohibited.

QUALCOMM Incorporated  
5775 Morehouse Drive  
San Diego, CA 92121-1714  
U.S.A.

Copyright © 2011 QUALCOMM Incorporated. All rights reserved.

# Table of Contents

<b>Section 1 Summary .....</b>	<b>4</b>
1.1 Device Summary .....	4
<b>Section 2 API Validation Results.....</b>	<b>5</b>
2.1 Brew MP F450 Results Summary .....	5
2.1.1 Validation Environment Summary .....	5
2.1.2 API Validation Results Summary.....	5
2.1.3 Validation Issues Severity Summary .....	5
2.2 API Validation Issues Breakdown by Family .....	6
2.2.1 Connectivity .....	6
2.2.2 Databases.....	8
2.2.3 Deprecated .....	8
2.2.4 Hardware .....	9
2.2.5 Languages .....	11
2.2.6 Media .....	11
2.2.7 Networking .....	12
2.2.8 Performance .....	13
2.2.9 Security .....	13
2.2.10 System .....	14
2.2.11 TAPI .....	14
2.2.12 Telephony .....	15
2.2.13 UI.....	16

## Section 1 Summary

The following report is intended to communicate how well Brew MP software, SDK & Tools, and platform perform on the ZTE F450 when run against the PVS tests. The data contained herein is not intended to demonstrate any capability of the hardware itself.

Throughout the document there are many abbreviated and technical terms. If any of these terms are unfamiliar, please refer to the Brew MP Glossary on the [Brew MP website](#).

### 1.1 Device Summary

ZTE F450	
Software Build	VZW_US_F450V1.0.0B17
Reference Device	QSC6155
Brew MP AU	1.0.3.907
Brew MP Platform PRO Version	1.0.3.907
Validation Stage	Commercial
Network	Verizon

## Section 2 API Validation Results

### 2.1 Brew MP F450 Results Summary

#### 2.1.1 Validation Environment Summary

Environment Attribute	Attribute Data
PVS Version	1.0.3.907 PRO
Test Studio Version	5.12.1.1
Brew MP Version	1.0.3.907
Device Build Version	VZW_US_F450V1.0.0B17

#### 2.1.2 API Validation Results Summary

Results Categories	Results Summary Data
Test Module Count	208
Test Modules Executed	206
Total Tests Passed	9386
Total Tests Failed	216
Total Features Unsupported	1825
Total Tests Unexecuted	845
Date of Execution	Wed Jun 08 16:16:52 2011

#### 2.1.3 Validation Issues Severity Summary

Issue Severity	High	Medium	Low	Total
Totals	4	17	26	47

## 2.2 API Validation Issues Breakdown by Family

### 2.2.1 Connectivity

#### 2.2.1.1 Failures

Feature	Tests	Issue	Impact	Severity
FM Radio	<ul style="list-style-type: none"> <li>ctffmrds_EnableFM</li> <li>ctffmrds_GetPS</li> <li>ctffmrds_GetPSInfo</li> <li>ctffmrds_GetRawGroupData</li> <li>ctffmrds_OnProgramServiceAvbl</li> <li>ctffmrds_OnRawGroupDataAvbl</li> <li>ctffmrds_RegRdsGroupProcessing.PS</li> <li>ctffmrds_SetRDSProcessingOptions</li> <li>ctffmradiorx_DisableReceiver</li> <li>ctffmradiorx_GetParameterChanges</li> <li>ctffmradiorx_GetStationParams</li> <li>ctffmradiorx_RDSSearchStations</li> <li>ctffmradiorx_SetParam</li> <li>ctffmradiorx_SearchStationList</li> <li>ctffmradiorx_SearchStations</li> <li>oatfmradiolRx_SetStation_1_SetStationIndex2</li> <li>oatfmradiolRx_SetStation_1_SetStationIndex3</li> <li>oatfmradiolRx_SetStation_1_SetStationIndex4</li> <li>oatfmradiolRx_SetStation_1_SetStationIndex5</li> <li>oatfmradiolRx_SetStation_1_SetStationIndex6</li> <li>ctffmradioitx_Configure</li> <li>ctffmradioitx_GetConfiguration</li> <li>ctffmradioitx_Enable</li> <li>ctffmradioitx_CtrlRDSPGrpTrans</li> <li>ctffmradioitx_RouteAudio</li> <li>ctffmradioitx_SetStation</li> <li>ctffmradioitx_SetStationPSInfo</li> <li>ctffmradioitx_SetStationRTInfo</li> <li>oatfmradiolTx_SetPSInfo.1</li> <li>ctffmradioitx_StopRDSInfo.PS</li> <li>oatfmradiolTx_SetRTInfo.1</li> <li>ctffmradioitx_StopRDSInfo.RT</li> <li>oatfmradiolTx_StopRDSInfo.1</li> <li>oatfmradiolTx_StopRDSInfo.2</li> <li>ctffmradioitx_TransmitRDSPGroups</li> <li>oatfmradiolTx_TransmitRDSPGrp.1</li> <li>oatfmradiolTx_CtrlRDSPGrpTrans.1</li> <li>oatfmradiolTx_CtrlRDSPGrpTrans.2</li> <li>oatfmradiolTx_CtrlRDSPGrpTrans.3</li> <li>oatfmradiolTx_SetStation_1_SetStationIndex2</li> <li>oatfmradiolTx_SetStation_1_SetStationIndex3</li> <li>oatfmradiolTx_SetStation_1_SetStationIndex4</li> <li>oatfmradiolTx_SetStation_1_SetStationIndex5</li> <li>ctffmradioitx_Disable</li> </ul>	Incorrect test framework configuration. Feature unsupported.	None	Low
Bluetooth	<ul style="list-style-type: none"> <li>OATBTClient_Secu-BondWithOOB.1</li> <li>OATBTClient_BT-PrintLocalAndRemoteInfo.1</li> <li>OATBTClient_Connection1-GetStatus.1</li> <li>OATBTClient_ConnFactory-GetConnectedDevices.1</li> <li>OATBTClient_DevDB1-GetDevName.1</li> <li>OATBTClient_DevDB1-GetNumDevEntries_withCOD.1</li> <li>OATBTClient_Discoverer-CancelNameRequest.1</li> <li>OATBTClient_Discoverer-GetRemoteName.1</li> <li>OATBTClient_Discoverer-RemoteNameRequest.1</li> <li>OATBTClient_Discoverer-SetDiscoveryFilter.1</li> </ul>	Cannot bond with remote device	Applications will not be able to use Bluetooth	High

	<ul style="list-style-type: none"> <li>• OATBTClient_DuN-Disable.1</li> <li>• OATBTClient_DuN-Enable.1</li> <li>• OATIBTClient_EIR-localShortName.1</li> <li>• OATIBTClient_EIR-RemoteEir.1</li> <li>• OATIBTClient_Prop-RetrieveLocalInfo.1</li> <li>• OATIBTClient_Radio-SetDebugModeOnOff.1</li> <li>• OATIBTClient_Radio-SetRmTestModeOnOff.1</li> <li>• OATIBTClient_SDClient-RetrieveServiceAttributeResp.1</li> <li>• OATIBTClient_SDClient-RetrieveServiceSearchAttributeResp.1</li> <li>• OATIBTClient_SDClient-RetrieveServiceSearchResp.1</li> <li>• OATIBTClient_SDClient-ServiceAttributeReq.1</li> <li>• OATIBTClient_SDClient-ServiceSearchAttributeReq.1</li> <li>• OATIBTClient_SDClient-ServiceSearchReq.1</li> <li>• OATBTClient_SDRRecord-DeRegister.1</li> <li>• OATBTClient_SDRRecord-GetRecHandle.1</li> <li>• OATBTClient_SDRRecord-Read.1</li> <li>• OATBTClient_SDRRecord-Write.1</li> <li>• OATBTClient_Secu-AuthorizeRebond.1</li> <li>• OATBTClient_Secu-AuthSvcConnection.1</li> <li>• OATBTClient_Secu-PinKeyReply.1</li> <li>• OATBTClient_Secu-SetBondable.1</li> <li>• OATBTClient_Secu-TestPasskeyRequest.1</li> <li>• OATBTClient_SPP-ConfigureStream.1</li> <li>• OATBTClient_SPP-ConnectToServer.1</li> <li>• OATBTClient_SPP-DisconnectFromSecServer.1</li> <li>• OATBTClient_SPP-InitiateSecSPPCon.1</li> <li>• OATBTClient_SPP-IOStreamControl.1</li> <li>• OATBTClient_SPP-ReadData.1</li> <li>• OATBTClient_SPP-ReadDataSec.1</li> <li>• OATBTClient_SPP-SendData.1</li> <li>• OATBTClient_SPP-SendDataSec.1</li> <li>• OATIBTServer_OPP-DisableService.1</li> <li>• OATIBTServer_OPP-EnableServiceAndDisable.1</li> <li>• OATIBTServer_PBAP-DisableService.1</li> </ul>			
--	---	--	--	--

Issue Severity	High	Medium	Low	Total
Totals	1	0	1	2

### 2.2.1.2 Unexecuted

Test Module	Tests	Reason	Impact
connmgrtest (14)	• Most	Incorrect test framework configuration. Feature unsupported.	None
ctffmradioirx (1)	• RouteAudio	Incorrect test framework configuration. Feature unsupported.	None
ctffmradioitx (12)	• Most	Incorrect test framework configuration. Feature unsupported.	None
ctffmrds (9)	• Most	Incorrect test framework configuration. Feature unsupported.	None
ctfwlanprofilemgr (64)	• Most	Incorrect test framework configuration. Feature unsupported.	None
ctfwlansettings (14)	• Most	Incorrect test framework configuration. Feature unsupported.	None
OATIBTClient (62)	• Most	Device crashes during testing.	Applications will not be able to use Bluetooth

## 2.2.2 Databases

### 2.2.2.1 Failures

Feature	Tests	Issue	Severity
None	• N/A	N/A	N/A

Issue Severity	High	Medium	Low	Total
Totals	0	0	0	0

### 2.2.2.2 Unexecuted

Test Module	Tests	Reason	Impact
ctfadntest (81)	• All	Incorrect test framework configuration. Feature unsupported.	None

## 2.2.3 Deprecated

### 2.2.3.1 Failures

Feature	Tests	Issue	Impact	Severity
Contact Database Management	• AddrBook_MaxFieldLen.1	Address book fields lengths are incorrect	Address book records may be corrupted when users enter large amounts of data for one or more fields	Medium
TAPI	• TAPI1_SendSMS_ToThisHandset.1	Incorrect test framework configuration. Test issue. Feature verified.	None	Low
FM Radio Tuner	• FMRadio_FMRadio_Play • FMRadio_FMRadio_SetStation • FMRadio_OnEventNotify • FMRadio_SetBand	Incorrect test framework configuration. Feature unsupported.	None	Low
FM Radio Data System	• FMRDS_GetGroupedData • FMRDS_GetParsedData • FMRDS_GetRawData	Incorrect test framework configuration. Feature unsupported.	None	Low
USB Driver	• USBDriver_ClosingDuringTransfer.3 • USBDriver_ReleaseDuringTransfer.3	Connection disconnect times out	Device may not switch back to the original configuration after the IUSBDriver was released	Low
	• USBDriver_ReceiveBulkOUT_PerfMMCF ile.1	Read rate is too slow	BULK OUT channels may have poor performance when device is writing to a file on MMC card	Low

Issue Severity	High	Medium	Low	Total
Totals	0	1	5	6



### 2.2.3.2 Unexecuted

Test Module	Tests	Reason	Impact
None	<ul style="list-style-type: none"> <li>None</li> </ul>	N/A	N/A

### 2.2.4 Hardware

#### 2.2.4.1 Failures

Feature	Tests	Issue	Impact	Severity
Camera	<ul style="list-style-type: none"> <li>Camera_Camera1_InteractiveRecordMovieP auseResumeDAM.1</li> <li>Camera_Camera1_InteractiveRecordMovieP auseResumeFCM.1</li> <li>Camera_RecMovie_InDAM.1</li> <li>Camera_RecMovieRepeat_InDAM.1</li> <li>Camera_SetGetParmSizeListMovie.1</li> <li>Camera_SetGetParmDisplaySizeListMovie.1</li> </ul>	Incorrect test framework configuration. Feature unsupported.	None	Low
	<ul style="list-style-type: none"> <li>Camera_PreviewRepeat.1</li> </ul>	Cannot repeat preview	Applications cannot preview again before recording	Low
	<ul style="list-style-type: none"> <li>Camera_Camera1_PreviewStop_NoDisplay.1</li> </ul>	Cannot preview and stop in FCM and Direct Access Mode	Applications will not be able to display the captured frames in the intended locations	Medium
	<ul style="list-style-type: none"> <li>Camera_FSMonitorSnapshot.1</li> <li>Camera_FSMonitorMovie.1</li> </ul>	Incorrect test framework configuration. Feature unsupported.	None	Low
OEM-Configurable Variables and Interfaces	<ul style="list-style-type: none"> <li>Device_AlarmWakeup.2</li> </ul>	OAT is not started by alarm	Applications may not be able to utilize alarm	Low
	<ul style="list-style-type: none"> <li>Device_AlertBeep.1</li> <li>Device_ErrorBeep.4</li> <li>Device_MsgBeep.3</li> <li>Device_ReminderBeep.2</li> </ul>	Cannot play tones for alerts, errors, messages and reminders. Platform issue.	Application will not be able to play tones for alerts, errors, messages and reminders	Medium
	<ul style="list-style-type: none"> <li>Device_Keyguard.1</li> </ul>	Keyguard event not received	Applications will not be able to take appropriate actions when keyguard is switched on or off	Medium
	<ul style="list-style-type: none"> <li>Device_BREWReadWriteSettings.121</li> </ul>	Gets invalid size of MEID	Application will not be able to reliably get MEID from device	Low
	<ul style="list-style-type: none"> <li>Device_GetConfigComplex.18</li> <li>Device_GetDeviceInfoExComplex.3</li> </ul>	Incorrect test framework configuration. Device Pack issue. Feature verified.	None	Low
Position Determination	<ul style="list-style-type: none"> <li>GPSXtra_InjectXtraData.1</li> </ul>	IXTRA inject data failed	IXTRA functionality will not work correctly	Medium
	<ul style="list-style-type: none"> <li>PDCacheTest_PDCacheTest_GetOne_Cache</li> </ul>	Cannot get position session status	Applications will not be able to get the last known position information	High
	<ul style="list-style-type: none"> <li>PDTest_Default_FixCriteria_StandAlone</li> <li>PDTest_FixCriteriaFour_StandAlone</li> <li>PDTest_FixCriteriaOne_MSB</li> <li>PDTest_GetOne_IntermediatePos</li> <li>PDTest_GetOne_SetAndGetFixCriteria</li> <li>PDTest_GetTwo_Concurrent_MSB</li> <li>PDTest_GetTwo_Periodic_DefaultFixCriteria</li> <li>PDTest_Multiple_Periodic_Optimal_Speed_Accuracy</li> <li>PDTest_ThreeRequests_CancelOne</li> </ul>	Unable to get position fixes using IPosition interface	Applications will not be able to get position fixes using IPosition interface	Medium
	<ul style="list-style-type: none"> <li>PostDet_GetGPSInfo.1</li> </ul>	One or more position	Application requesting	High

	<ul style="list-style-type: none"> <li>PostDet_GetGPSInfo_Altitude.1</li> <li>PostDet_GetGPSInfo_Concurrent_LocAndAlt.1</li> <li>PosDet_GetGPSInfo_Location.1</li> <li>PostDet_GetGPSInfo_Velocity.1</li> <li>PostDet_MPD_AccLevel1Level6.3</li> <li>PostDet_MPD_ModeLocalNetwork.1</li> <li>PostDet_MPD_OptSpeedAccuracy.1</li> <li>PostDet_SetConfig_Local.1</li> <li>PostDet_SetConfig_OneShot.1</li> <li>PostDet_SetConfig_OneShot_QOS.1</li> <li>PostDet_SetConfig_StandAlone.1</li> </ul>	requests fail	Altitude will fail Applications which use IPOSEDET interface are potentially unusable Position location support in MS-Assisted mode is unavailable Application requesting Velocity will fail Concurrent Position requests will not work Device cannot perform MS based position location Position location support is unavailable Position location support in STANDALONE mode is unavailable	
<b>Human Interface Device</b>	<ul style="list-style-type: none"> <li>HID_DeviceConnectTests.1</li> <li>HID_MultipleDeviceConnectTests.1</li> </ul>	Fails to recognize HID device	Applications may not be able to use human interface devices	Low
<b>External Keys</b>	Key_AutoRepeat.1	Time between two repeated EVT_KEY events exceeds the allowable limit	Applications will not be able to generate key tones upon key presses	Medium
	Key_KeyTones.1	Cannot play key tones		
<b>Accelerometer Sensors</b>	<ul style="list-style-type: none"> <li>Sensors_Accel_Timed_Multishot.1</li> <li>Sensors_MultiClient_Same_Driver.1</li> <li>Sensors_Single_Shot_Data_Fetch.1</li> <li>Sensors_Single_Shot_Data_Fetch.2</li> <li>Sensors_Single_Shot_Data_Fetch.3</li> <li>Sensors_Single_Shot_Data_Fetch.5</li> <li>Sensors_Single_Shot_Data_Fetch.6</li> <li>Sensors_Single_Shot_Data_Fetch.7</li> <li>Sensors_Single_Shot_Data_Fetch.11</li> <li>Sensors_Timed_MultiCommands_Test.1</li> </ul>	Incorrect test framework configuration. Feature unsupported.	None	Low
<b>USB</b>	<ul style="list-style-type: none"> <li>USBDevice_BulkOUT_PerfMMC.4</li> <li>USBDevice_BulkOUT_PerfNoFile.3</li> <li>USBDevice_FillPerfEFSFile.3</li> <li>USBDevice_FillPerfNoFile.2</li> </ul>	Incorrect test framework configuration. Test issue. Feature unverified.	Data may not be transferred to a Bulk Out Endpoint from the Host	Low

Issue Severity	High	Medium	Low	Total
<b>Totals</b>	2	6	9	17

#### 2.2.4.2 Unexecuted

Test Module	Tests	Reason	Impact
HID (10)	<ul style="list-style-type: none"> <li>Most</li> </ul>	Fails to recognize HID device	Applications may not be able to use human interface devices

## 2.2.5 Languages

### 2.2.5.1 Failures

Feature	Tests	Issue	Impact	Severity
None	<ul style="list-style-type: none"> <li>None</li> </ul>	N/A	N/A	N/A

  

Issue Severity	High	Medium	Low	Total
Totals	0	0	0	0

### 2.2.5.2 Unexecuted

Test Module	Tests	Reason	Impact
jams_lapp (82)	<ul style="list-style-type: none"> <li>Most</li> </ul>	Incorrect test framework configuration. Feature unsupported.	None
jams_lappControl (89)			
jams_IAppJSR229 (15)			
jams_IAppSession (49)			
jams_IAppSessionJSR82 (5)			
jams_IAutoInstall (1)			
jams_IInstall (82)			
jams_Sanity (6)			
jams_Smoke (3)			

## 2.2.6 Media

### 2.2.6.1 Failures

Feature	Tests	Issue	Impact	Severity
Sound	<ul style="list-style-type: none"> <li>Sound_SetDevice.10</li> <li>Sound_SetDevice.11</li> </ul>	Incorrect test framework configuration. Device Pack issue. Feature unverified.	Applications may not be able to route sound to selected audio device	Medium
Media Content Thumbnail	ContentThumbnail_Generate	Generated thumbnails differ from golden files	Applications may not be able to properly generate thumbnails for media content	Low
	ContentThumbnail_VideoPriorityForCache	Incorrect test framework configuraiton. Feature unsupported.	None	Low
MediaFileSystem Monitor	Media_FSMonitorRecordMedia.1	Incorrect test framework configuraiton. Feature unsupported.	None	Medium
Headset	MediaDevice_Beep_ISoundDevices_Mono_Headsset.1	Unable to set mono, stereo or stereo	Mono, stereo or stereo Bluetooth	Medium

	<ul style="list-style-type: none"> <li>MediaDevice_MonoAudioFiles_Mono_Headset:44f32r_1.mp3</li> <li>MediaDevice_PlayFile_IMediaDevices_Mono_Headset:44f32r_1.mp3</li> <li>MediaDevice_PlayFile_IMediaDevices_Mono_Headset:music_f1.mid</li> <li>MediaDevice_PlayFile_ISoundDevices_Mono_Headset:44f32r_1.mp3</li> <li>MediaDevice_RecordADPCMFile_ISoundDevices_Stereo_Headset</li> <li>MediaDevice_RecordADPCMFile_ISoundDevices_Stereo_Bluetooth_Headset</li> <li>MediaDevice_RecordQCPFile_ISoundDevices_Mono_Headset.1</li> <li>MediaDevice_RecordQCPFile_ISoundDevices_Stereo_Bluetooth_Headset</li> </ul>	Bluetooth headsets	headsets may intermittently work	
<b>Media</b>	MediaDevice_MIMEtypes.18	Incorrect test framework configuration. Device pack issue. Feature unverified.	Applications may not be able to use selected MIME type	Low
<b>PMD Media</b>	MediaPMD_PlayFrameCBChange_cmx40_psm_qtwlv.pmd	Frame callback does not succeed	Applications will not enable or disable frame callback during animation	Low

Issue Severity	High	Medium	Low	Total
<b>Totals</b>	0	3	4	7

### 2.2.6.2 Unexecuted

Test Module	Tests	Reason	Impact
JanusDRM (6)	All	Incorrect test framework configuration. Feature unsupported.	None
OMADRM (23)	Several	Incorrect test framework configuration. Feature unsupported.	None

## 2.2.7 Networking

### 2.2.7.1 Failures

Feature	Tests	Issue	Impact	Severity
<b>Network Connection</b>	Network_IPv4_OnEvent.2	Does not receive all network events through network transitioning. Platform issue.	If the network is not properly transitioning through all the states, many networked applications will not be able to function properly, and network utilization may be impacted.	Medium
	Network_IPv4_Start.4	Fails to open data network that uses an iface which is in closing state	Applications will not be able to start a data network that uses an iface which is in closing state	Medium
<b>Proxy Internet Connection</b>	Proxy_TunnelProxyKeepAlive	Fails to make Keep Alive requests	Network connections will not be reliable	Medium
<b>Socket Routines</b>	Socket_Accept.3	Incorrect test framework configuration. Test issue. Feature unverified.	Network server applications may have failures managing TCP connections	Medium

Issue Severity	High	Medium	Low	Total
Totals	0	4	0	4

### 2.2.7.2 Unexecuted

Test Module	Tests	Reason	Impact
Socket (32)	<ul style="list-style-type: none"> <li>Most</li> </ul>	Test execution hangs. Platform issue.	Network connections may fail
SockPort (62)	<ul style="list-style-type: none"> <li>Most</li> </ul>	Test execution hangs. Platform issue.	Network connections may fail

## 2.2.8 Performance

### 2.2.8.1 Failures

Feature	Tests	Issue	Impact	Severity
None	<ul style="list-style-type: none"> <li>None</li> </ul>	N/A	N/A	N/A

Issue Severity	High	Medium	Low	Total
Totals	0	0	0	0

### 2.2.8.2 Unexecuted

Test Module	Tests	Reason	Impact
None	<ul style="list-style-type: none"> <li>None</li> </ul>	N/A	N/A

## 2.2.9 Security

### 2.2.9.1 Failures

Feature	Tests	Issue	Impact	Severity
None	<ul style="list-style-type: none"> <li>None</li> </ul>	N/A	N/A	N/A

Issue Severity	High	Medium	Low	Total
Totals	0	0	0	0

### 2.2.9.2 Unexecuted

Test Module	Tests	Reason	Impact
None	<ul style="list-style-type: none"> <li>None</li> </ul>	N/A	N/A

## 2.2.10 System

### 2.2.10.1 Failures

Feature	Tests	Issue	Impact	Severity
Alarm	<ul style="list-style-type: none"> <li>AlarmMgr_SetAlarmCls.1</li> <li>AlarmMgr_SetAlarmClsNopl.1</li> <li>AlarmMgr_SetAlarmSelf.1</li> </ul>	Cannot set alarm for a privileged unprivileged and self class IDs	Applications will not be able activate alarms with correct user codes when needed	Medium
Out of Coverage	<ul style="list-style-type: none"> <li>OutOfCoverage_OOC.3</li> <li>OutOfCoverage_OOC.4</li> <li>OutOfCoverage_OOC.5</li> </ul>	Getting connection error 554. Feature unverified.	Applications relying on network may behave unexpectedly while out-of-coverage	Low
System Clock	<ul style="list-style-type: none"> <li>SysClock_SysClockPersistReboot.3</li> </ul>	User SysClock is out of range	Applications may not be able to set user clock	Medium

Issue Severity	High	Medium	Low	Total
Totals	0	2	1	3

### 2.2.10.2 Unexecuted

Test Module	Tests	Reason	Impact
OutOfCoverage (1)	<ul style="list-style-type: none"> <li>Coverage</li> </ul>	Incorrect test framework configuration. Feature unverified.	Applications relying on network may behave unexpectedly while out-of-coverage

## 2.2.11 TAPI

### 2.2.11.1 Failures

Feature	Tests	Issue	Impact	Severity
None	<ul style="list-style-type: none"> <li>None</li> </ul>	N/A	N/A	N/A

Issue Severity	High	Medium	Low	Total
Totals	0	0	0	0

### 2.2.11.2 Unexecuted

Test Module	Tests	Reason	Impact
None	<ul style="list-style-type: none"> <li>None</li> </ul>	N/A	N/A

## 2.2.12 Telephony

### 2.2.12.1 Failures

Feature	Tests	Issue	Impact	Severity
SMS	<ul style="list-style-type: none"> <li>SMS_BCCONF_GetServiceIDs.1</li> </ul>	Device crashes during test execution. Feature unverified.	SMS broadcast may not be unavailable	Low
Telephony	<ul style="list-style-type: none"> <li>Telephone_SetSubscriptionStatus.3</li> </ul>	Cannot activate or deactivate subscription status. Platform issue.	Applications cannot change subscription status	High
Smart Card	<ul style="list-style-type: none"> <li>ctfsmartcardiapplication_CreateNonProvAppInstanceTest</li> <li>ctfsmartcardiapplication_CreateProvAppInstanceTest</li> <li>ctfsmartcardicard_CreateCardInstanceForAllSlots</li> <li>ctfsmartcardifile_CreateProvAppInstanceTest</li> <li>ctfsmartcardiperso_SmartCard_IPerso_Test_CreateInstanceTest</li> <li>ctfsmartcardipin_CreateAllPinsInstanceTest</li> <li>ctfsmartcardislots_GetAvailableAppsTwice</li> <li>ctfsmartcardislots_OnOpComplete</li> </ul>	Incorrect test framework configuration. Feature unsupported.	None	Low

Issue Severity	High	Medium	Low	Total
Totals	1	0	2	3

### 2.2.12.2 Unexecuted

Test Module	Tests	Reason	Impact
SMS (1)	<ul style="list-style-type: none"> <li>STRDUPDATESTATUSREPORT_Default</li> </ul>	Incorrect test framework configuration. Obsolete test.	None
ctfsmartcardiapplication (36)	<ul style="list-style-type: none"> <li>Most</li> </ul>	Incorrect test framework configuration. Feature unsupported.	None
ctfsmartcardicard (5)	<ul style="list-style-type: none"> <li>ICardGetATR</li> <li>ICardGetCardReaderStatus</li> <li>ICardGetError</li> <li>ICardJCdmaGetCardInfo</li> <li>ICardSendAPDU</li> </ul>		
ctfsmartcardifile (24)	<ul style="list-style-type: none"> <li>Most</li> </ul>		
ctfsmartcardiperso (31)	<ul style="list-style-type: none"> <li>Most</li> </ul>		
ctfsmartcardipin (24)	<ul style="list-style-type: none"> <li>Most</li> </ul>		
ctfsmartcardirefresh (8)	<ul style="list-style-type: none"> <li>Most</li> </ul>		
ctfsmartcardislots (3)	<ul style="list-style-type: none"> <li>CreateDelay</li> <li>GetCardInvalidSlotID</li> <li>GetCardValidSlotID</li> </ul>		

## 2.2.13 UI

### 2.2.13.1 Failures

Feature	Tests	Issue	Impact	Severity
<b>BREW True Type Font Extension</b>	<ul style="list-style-type: none"> <li>BTFE_TextTC</li> <li>WidgetTC_TextTC</li> </ul>	Incorrect test framework configuration. Feature unsupported.	None	Low
<b>Widgets</b>	<ul style="list-style-type: none"> <li>FrameWidget_MediaFrameModelPlatform</li> </ul>	Cannot get proper frame count during starting and stopping of media	Applications will be unable to reliably use media through widgets	Low
	<ul style="list-style-type: none"> <li>HTMLWidget_DocModel</li> </ul>	Cannot compare HTMLWidget	Applications will not be able to reliably use HTMLWidget	Low
	<ul style="list-style-type: none"> <li>Forms_Version</li> <li>FrameWidget_Version</li> <li>HTMLWidget_Version</li> <li>Widgets_Version</li> </ul>	Cannot retrieve widget's version information	Application will not be able to reliably use IVersion	Medium
	<ul style="list-style-type: none"> <li>WidgetTC_KeypadTC</li> <li>WidgetTC_ScrollTC</li> <li>WidgetTC_TouchMode</li> <li>WidgetTC_Version</li> <li>WidgetTC_ViewportsTCScenario2</li> </ul>	Incorrect test framework configuration. Feature unsupported.	None	Low

Issue Severity	High	Medium	Low	Total
<b>Totals</b>	0	1	4	5

### 2.2.13.2 Unexecuted

Test Module	Tests	Reason	Impact
FrameWidget (2)	<ul style="list-style-type: none"> <li>CameraFrameModel</li> <li>MediaFrameModel</li> </ul>	Incorrect test framework configuration. Obsolete tests.	None