



API Validation Results

QSC6270 1.0.4.562

Date: March 9, 2012



QUALCOMM® Proprietary

Restricted Distribution: This document contains critical information about QUALCOMM products and may not be distributed to anyone that is not an employee of QUALCOMM, its affiliates or subsidiaries without the approval of Configuration Management.

QUALCOMM Incorporated reserves the right to make changes to the product(s) or information contained herein without notice. No liability is assumed for any damages arising directly or indirectly by their use or application. The information provided in this document is provided on an "as is" basis.

All data and information contained in or disclosed by this document is confidential and proprietary information of QUALCOMM Incorporated and all rights therein are expressly reserved. By accepting this material the recipient agrees that this material and the information contained therein is to be held in confidence and in trust and will not be used, copied, reproduced in whole or in part, nor its contents revealed in any manner to others without the express written permission of QUALCOMM Incorporated.

QUALCOMM is a registered trademark and registered service mark of QUALCOMM Incorporated. Other product and brand names may be trademarks or registered trademarks of their respective owners.

Export of this technology may be controlled by the United States Government. Diversion contrary to U.S. law prohibited.

QUALCOMM Incorporated
5775 Morehouse Drive
San Diego, CA 92121-1714
U.S.A.

Copyright © 2012 QUALCOMM Incorporated. All rights reserved.

Table of Contents

Section 1 Summary	4
1.1 Device Summary	4
Section 2 API Validation Results.....	5
2.1 Brew MP QSC6270 Results Summary	5
2.1.1 Validation Environment Summary	5
2.1.2 API Validation Results Summary.....	5
2.1.3 Validation Issues Severity Summary	5
2.2 API Validation Issues Breakdown by Family	6
2.2.1 Connectivity	6
2.2.2 Databases.....	7
2.2.3 Deprecated	8
2.2.4 Hardware	8
2.2.5 Languages	9
2.2.6 Media	14
2.2.7 Networking	15
2.2.8 Performance	15
2.2.9 Security	16
2.2.10 System	16
2.2.11 Tapi	17
2.2.12 Telephony	17
2.2.13 Ui.....	19

Section 1 Summary

The following report is intended to communicate how well Brew MP software, SDK & Tools, and platform perform on the QSC6270 when run against the PVS tests. The data contained herein is not intended to demonstrate any capability of the hardware itself.

Throughout the document there are many abbreviated and technical terms. If any of these terms are unfamiliar, please refer to the Brew MP Glossary on the [Brew MP website](#)

1.1 Device Summary

QSC6270 1.0.4.562	
Software Build	Q6270BKPSZL4230
Reference Device	QSC6270 4.2
Brew MP AU	1.0.4.562
Brew MP Platform Pro	1.0.4.562
Validation Stage	CS
Network	Airtel

Section 2 API Validation Results

2.1 Brew MP QSC6270 Results Summary

2.1.1 Validation Environment Summary

Environment Attribute	Attribute Data
PVS Version	1.0.4.562 Platform Pro
Test Studio Version	5.12.1.1
Brew MP Version	1.0.4.562
Device Build Version	Q6270BKPSZL4230

2.1.2 API Validation Results Summary

Results Categories	Results Summary Data
Test Module Count	226
Test Modules Executed	225
Total Tests Passed	10997
Total Tests Failed	84
Total Features Unsupported	1816
Total Tests Unexecuted	534
Date of Execution	Thursday, March 01, 2012 2:53 PM

2.1.3 Validation Issues Severity Summary

Issue Severity	High	Medium	Low	Total
Totals	9	15	12	36

2.2 API Validation Issues Breakdown by Family

2.2.1 Connectivity

2.2.1.1 Failures

Feature	Tests	Issue	Impact	Severity
Dial-up Networking Profile	<ul style="list-style-type: none"> OATIBTClient_DuN-Disable.1 OATIBTClient_DuN-Enable.1 	Fails to map Gateway port to Bluetooth	Applications will not be able to enable or disable DUN Gateway	Medium
File Transfer Protocol	<ul style="list-style-type: none"> OATIBTClient_FTP-ChDir.1 OATIBTClient_FTP-Get.1 OATIBTClient_FTP-GetDir.1 OATIBTClient_FTP-Get-Multiple-Files.1 OATIBTClient_FTP-LsDir.1 OATIBTClient_FTP-MkDir.1 OATIBTClient_FTP-Put.1 OATIBTClient_FTP-PutDir.1 OATIBTClient_FTP-Put-Multiple-Files.1 OATIBTClient_FTP-Rmdir.1 	Fails to perform FTP basic functions	Applications will not be able to utilize File Transfer Protocol through Bluetooth connections	Medium
Object Exchange Protocol	<ul style="list-style-type: none"> OATIBTClient_OBEX-Connect.1 OATIBTClient_OBEX-Disconnect.1 OATIBTClient_OBEX-Get.1 OATIBTClient_OBEX-Put.1 OATIBTClient_OBEX-SendCommand.1 OATIBTClient_OBEX-Setpath.1 	Fails to establish OBEX connection	Applications will not be able to utilize Object Exchange Protocol	Medium
Object Push Profile	<ul style="list-style-type: none"> OATIBTClient_OPP-GetServerSupportedFormats.1 OATIBTClient_OPP-PullOwnerVCard.1 OATIBTClient_OPP-PushBytes.1 OATIBTClient_OPP-PushFile.1 OATIBTClient_OPP-PushLargeObject.1 OATIBTClient_OPP-RepullObject.1 	Fails to get server supported OBEX formats	Applications will not be able to utilize Object Push Profile	Medium
Phone Book Access Profile	<ul style="list-style-type: none"> OATIBTClient_PBAP-AbortPullPhoneBook.1 OATIBTClient_PBAP-Connect.1 OATIBTClient_PBAP-Disconnect.1 OATIBTClient_PBAP-GetFilteredVCardListing.1 OATIBTClient_PBAP-PullPhoneBook.1 OATIBTClient_PBAP-PullPhoneBookSize.1 OATIBTClient_PBAP-PullVCardEntry.1 	Fails to establish PBAP connection with remote device	Applications will not be able to utilize Phone Book Access Profile	Medium
Serial Port Profile	<ul style="list-style-type: none"> OATIBTClient_SPP-ReadData.1 	Fails to read data from virtual SP stream	Applications will not be able to read data through SPP connections	Medium

Issue Severity	High	Medium	Low	Total
Totals	0	6	0	6

2.2.1.2 Unexecuted

Test Module	Tests	Reason	Impact
ctffmradioirx (20)	<ul style="list-style-type: none"> AntennalsAvailable ConfigureReceiver DisableReceiver EnableAudio EnableReceiver GetAudioSettings GetParameter GetParameterChanges GetStationParams GetStationParamsData GetTunedFrequency 	Incorrect test framework configuration. Feature unsupported.	None

Test Module	Tests	Reason	Impact
	<ul style="list-style-type: none"> GetValidFreqRange OnParamsChange OnStationParamsChange RDSSearchStations RouteAudio SearchStationList SearchStations SetParam SetStation 		
ctffmradioitx (15)	<ul style="list-style-type: none"> AntennalsAvailable Configure CtrlRDSGrpTrans Disable Enable GetConfiguration GetPSFeatures GetRDSGrpsBufSize RouteAudio SetStation SetStationPSInfo SetStationRTInfo StopRDSInfo.PS StopRDSInfo.RT TransmitRDSGroups 	Incorrect test framework configuration. Feature unsupported.	None
ctffmrds (18)	<ul style="list-style-type: none"> DisableFM EnableFM GetAF GetAFInfo GetPS GetPSInfo GetRawGroupData GetRT GetRTInfo OnAFAvbl OnProgramServiceAvbl OnRadioTextAvbl OnRawGroupDataAvbl RegRdsGroupProcessing.AF RegRdsGroupProcessing.PS RegRdsGroupProcessing.RT SetRDSProcessingOptions SetStation 	Incorrect test framework configuration. Feature unsupported.	None

2.2.2 Databases

2.2.2.1 Failures

Feature	Tests	Issue	Impact	Severity
Address Book Database	<ul style="list-style-type: none"> CTFADNTest_AddSingleNameSinglePhoneHardPauseSlot1 	Failure to add record before timer expires	Applications will not be able to create a record with Hard Pause in phone number on SIM present in Slot 1	Low

Issue Severity	High	Medium	Low	Total
Totals	0	0	1	1

2.2.2.2 Unexecuted

Test Module	Tests	Reason	Impact
None	• None	N/A	N/A

2.2.3 Deprecated

2.2.3.1 Failures

Feature	Tests	Issue	Impact	Severity
TAPI	• TAPI1_SendSMS_EmailId.1	Fails to resume tests from native UI. Test issue. Feature unverified.	Applications may not be able to send SMS to an email address	High
USB Driver	• USBDriver_CableConnect.1	Fails to query device for cable state	Applications will not be able to determine cable state using IUSBDriver interface	High
	• USBDriver_CableConnect.2			
	• USBDriver_DisconnectDuringTransfer.2	Device fails to re-enumerate as the original device	Device will not switch back to original configuration after IUSBDriver is released	High

Issue Severity	High	Medium	Low	Total
Totals	3	0	0	3

2.2.3.2 Unexecuted

Test Module	Tests	Reason	Impact
None	• None	N/A	N/A

2.2.4 Hardware

2.2.4.1 Failures

Feature	Tests	Issue	Impact	Severity
Backlight display management	• Backlight_EnableAITest->BacklightEnable_AI	Unable to enable the backlight using IBACKLIGHT API	Applications will not be able to enable Backlight	High
OEM-Configurable Variables and Interfaces	• Device_Keyguard.1	Fails to activate key guard	Applications will not be able to activate key guard	Medium
	• Device_MannerMode.3	Cannot verify Vibrate mode due to device limitation	Applications may not be able to support Vibrate mode	Low
	• Device_MMCCardInfo.1	Fails to get correct model number of MMC	Application will not be able to get model number of MMC	Medium
Keys	• Key_SupportedKeyEvents.20	Fails to receive correct key event when `T` key is pressed	Applications that depend on `T` key will not function properly	Medium
Human Interface Device	• HID_DeviceConnectTests.2	Incorrect test framework configuration. Test issue. Feature unverified.	Applications may not know when a mouse is connected	Medium
	• HID_MultipleDeviceConnectTests.1		Applications may not be able to identify distinct devices concurrently	Medium
Sticky Keys	• ctfkeysconfigtest_TestStickyKeys	Incorrect test framework configuration. Feature unsupported.	None	Low

Feature	Tests	Issue	Impact	Severity
External Keypad	<ul style="list-style-type: none"> ctfkeysmappingtest_TestMappings 	Incorrect test framework configuration. Feature unsupported.	None	Low

Issue Severity	High	Medium	Low	Total
Totals	1	5	3	9

2.2.4.2 Unexecuted

Test Module	Tests	Reason	Impact
HID (10)	<ul style="list-style-type: none"> ExclusiveAccessTests JoystickAxisTests JoystickConcKeyTests JoystickConcTests JoystickKeyTests KeyBoardKeyTests MouseKeyTests 	Incorrect test framework configuration. Test issue. Feature unverified.	Applications may not be able to use human interface devices

2.2.5 Languages

2.2.5.1 Failures

Feature	Tests	Issue	Impact	Severity
None	<ul style="list-style-type: none"> None 	N/A	N/A	N/A

Issue Severity	High	Medium	Low	Total
Totals	0	0	0	0

2.2.5.2 Unexecuted

Test Module	Tests	Reason	Impact
jams_IApp (82)	<ul style="list-style-type: none"> Addref.1 DeleteRecordStore.1 GetAppProperty.1 GetAppProperty.2 GetCertChain.1 GetCertChain.2 GetDisplayName.1 GetDisplayName.2 GetMaxPermGroupSetting.1 GetMaxPermGroupSetting.2 GetMaxPermGroupSetting.3 GetMaxPermGroupSetting.4 GetMidletInfo.1 GetMidletInfo.2 GetNthAppProperty.1 GetNthAppProperty.2 GetNumAppProperties.1 GetPermGroupSetting.1 GetPermGroupSetting.2 GetPermGroupSetting.3 GetPermGroupSetting.4 IAppEquals.1 IAppEquals.2 Install_once QueryInterface.1 	Incorrect test framework configuration. Feature unsupported.	None

Test Module	Tests	Reason	Impact
	<ul style="list-style-type: none"> • QueryInterface.2 • QueryInterface.3 • QueryInterface.4 • QueryInterface4.1 • QueryInterface4.2 • QueryInterface4.3 • QueryInterface4.4 • QueryInterface4.5 • QueryInterface4.6 • QueryInterface4.7 • QueryInterface4.8 • QueryInterface4.9 • QueryInterface4.10 • QueryInterface4.12 • QueryInterface4.13 • QueryInterface4.14 • QueryInterface4.15 • QueryInterface4.16 • QueryInterface4.17 • QueryInterface4.18 • QueryInterface4.19 • QueryInterface4.20 • QueryInterface4.21 • QueryInterface4.22 • QueryInterface4.23 • QueryInterface4.24 • QueryInterface4.25 • QueryInterface4.26 • QueryInterface4.27 • QueryInterface4.28 • QueryInterface4.30 • QueryInterface4.31 • QueryInterface4.32 • QueryInterface4.33 • QueryInterface4.34 • QueryInterface4.35 • QueryInterface4.36 • QueryInterface4.37 • QueryInterface4.38 • QueryInterface4.39 • QueryInterface4.40 • QueryInterface4.41 • QueryInterface4.42 • Release.1 • Release.2 • SetDisplayName.1 • SetPermGroupSetting.1 • SetPermGroupSetting.2 • SetPermGroupSetting.3 • SetPermGroupSetting.4 • SetPermGroupSetting.5 • SetPermGroupSetting.6 • SetPermGroupSetting.7 • Uninstall.1 • Uninstall.2 • Uninstall.3 • Uninstall.4 		
jams_IAppControl (89)	<ul style="list-style-type: none"> • AddRef.1 • DeQueueStatusNotification.1 • DeQueueStatusNotification.2 • GetApp.1 • GetApp.2 • GetAppByVendorSuite.1 • GetAppByVendorSuite.2 • GetAppSession.1 • GetAppSession.2 	Incorrect test framework configuration. Feature unsupported.	None

Test Module	Tests	Reason	Impact
	<ul style="list-style-type: none"> • GetNthApp.1 • GetNthApp.2 • GetNthApp.3 • GetNthAppSession.1 • GetNthPermGroup.1 • GetNthPermGroup.2 • GetNthRootCert.1 • GetNthRootCert.2 • GetNumApps.1 • GetNumApps.2 • GetNumAppSessions.1 • GetNumPermGroups.1 • GetNumRootCerts.1 • GetPermGroupName.1 • Install_once • LaunchApp.1 • LaunchApp.2 • LaunchApp.3 • LaunchUninstalledApp.1 • LaunchUninstalledApp.2 • QueryInterface.1 • QueryInterface.2 • QueryInterface.4 • QueryInterface_jams_IID_IProperty.1 • QueryInterface_jams_IID_IProperty.2 • QueryInterface_jams_IID_IProperty.3 • QueryInterface_jams_IID_IProperty.4 • QueryInterface_jams_IID_IProperty.5 • QueryInterface_jams_IID_IProperty.6 • QueryInterface_jams_IID_IProperty.7 • QueryInterface_jams_IID_IProperty.8 • QueryInterface_jams_IID_IProperty.9 • QueryInterface_jams_IID_IProperty.10 • QueryInterface_jams_IID_IProperty.11 • QueryInterface_jams_IID_IProperty.12 • QueueStatusNotification.1 • QueueStatusNotification.2 • QueueStatusNotification.3 • RegisterDelegate.1 • RegisterDelegate.2 • RegisterDelegate.3 • RegisterDelegate.4 • RegisterDelegate.5 • RegisterDelegate.6 • RegisterDelegate.7 • RegisterDelegate.8 • RegisterDelegate.9 • RegisterDelegate.10 • RegisterDelegate.11 • RegisterDelegate.12 • RegisterDelegate.13 • RegisterDelegate.14 • RegisterDelegate.15 • RegisterDelegate.16 • RegisterDelegate.17 • RegisterDelegate.18 • RegisterDelegate.19 • RegisterDelegate.20 • RegisterDelegate.21 • RegisterDelegate.22 • RegisterDelegate.23 • RegisterDelegate.24 • RegisterDelegate.25 • RegisterDelegate.26 • RegisterDelegate.27 • RegisterDelegate.28 		

Test Module	Tests	Reason	Impact
	<ul style="list-style-type: none"> RegisterDelegate.29 RegisterDelegate.30 Release.1 Release.2 SetMediaHandlerData.1 SetMediaHandlerData.2 SetMediaHandlerData.3 SetReferringUri.1 SetReferringUri.2 SetRootCertState.1 SetRootCertState.2 SetRootCertState.3 SetSchemeHandlerData.1 SetSchemeHandlerData.2 		
jams_IAppJSR229 (15)	<ul style="list-style-type: none"> InstallNecessaryMidlets OATjams_IAppJSR229_Addref OATjams_IAppJSR229_DeleteTransactions1 OATjams_IAppJSR229_GetNthTransaction1 OATjams_IAppJSR229_GetNthTransaction2 OATjams_IAppJSR229_GetNumTransactions1 OATjams_IAppJSR229_jams_IProperty_HasMissedTransactions_FALSE OATjams_IAppJSR229_jams_IProperty_HasMissedTransactions_NotSettable OATjams_IAppJSR229_jams_IProperty_HasMissedTransactions_TRUE OATjams_IAppJSR229_QueryInterface1 OATjams_IAppJSR229_QueryInterface2 OATjams_IAppJSR229_QueryInterface3 OATjams_IAppJSR229_QueryInterface4 OATjams_IAppJSR229_Release_1 OATjams_IAppJSR229_Release_2 	Incorrect test framework configuration. Feature unsupported.	None
jams_IAppSession (49)	<ul style="list-style-type: none"> AddRef.1 GetApp.1 GetApp.2 HandleAlert.1 HandleAlert.2 Install_once jams_IID_IProperty.1 jams_IID_IProperty.2 jams_IID_IProperty.3 jams_IID_IProperty.4 jams_IID_IProperty.5 jams_IID_IProperty.6 jams_IID_IProperty.7 jams_IID_IProperty.8 jams_IID_IProperty.9 jams_IID_IProperty.10 jams_IID_IProperty.11 jams_IID_IProperty.12 jams_IID_IProperty.13 jams_IID_IProperty.14 jams_IID_IProperty.15 jams_IID_IProperty.16 jams_IID_IProperty.17 jams_IID_IProperty.18 jams_IID_IProperty.19 jams_IID_IProperty.20 jams_IID_IProperty.21 jams_IID_IProperty.22 jams_IID_IProperty.23 jams_IID_IProperty.24 jams_IID_IProperty.25 jams_IID_IProperty.26 jams_IID_IProperty.27 jams_IID_IProperty.28 jams_IID_IProperty.29 jams_IID_IProperty.30 jams_IID_IProperty.31 	Incorrect test framework configuration. Feature unsupported.	None

Test Module	Tests	Reason	Impact
	<ul style="list-style-type: none"> jams_IID_IProperty.32 Kill.1 QueryInterface.1 QueryInterface.2 QueryInterface.3 QueryInterface.4 Release.1 Release.2 SetPermissionQuery.1 SetPermissionQuery.2 SetPermissionQuery.3 SetPermissionQuery.4 		
jams_IAppSessionJSR82 (5)	<ul style="list-style-type: none"> IAppSessionJSR82_Addref IAppSessionJSR82_Release_1 IAppSessionJSR82_Release_2 IAppSessionJSR82_Release_GetConnectData InstallNecessaryMidlets 	Incorrect test framework configuration. Feature unsupported.	None
jams_IAutoInstall (1)	<ul style="list-style-type: none"> InstallApp 	Incorrect test framework configuration. Feature unsupported.	None
jams_IInstall (82)	<ul style="list-style-type: none"> addref.1 CreateApp.1 CreateApp.2 GetAppProperty.1 GetAppProperty.2 GetCertChain.1 GetCertChain.2 GetCertChain.3 GetPreviousApp.1 GetPreviousApp.2 GetPreviousApp.3 queryinterface.1 queryinterface.2 queryinterface.3 QueryInterface.3_1 QueryInterface.3_2 QueryInterface.3_3 QueryInterface.3_4 QueryInterface.3_5 QueryInterface.3_6 QueryInterface.3_7 QueryInterface.3_8 QueryInterface.3_9 QueryInterface.3_10 QueryInterface.3_11 QueryInterface.3_12 QueryInterface.3_13 QueryInterface.3_14 QueryInterface.3_15 QueryInterface.3_16 QueryInterface.3_17 QueryInterface.3_18 QueryInterface.3_19 QueryInterface.3_20 QueryInterface.3_21 QueryInterface.3_22 QueryInterface.3_23 QueryInterface.3_24 QueryInterface.3_26 QueryInterface.3_27 QueryInterface.3_28 QueryInterface.3_29 QueryInterface.3_30 QueryInterface.3_31 	Incorrect test framework configuration. Feature unsupported.	None

Test Module	Tests	Reason	Impact
	<ul style="list-style-type: none"> QueryInterface.3_32 QueryInterface.3_33 QueryInterface.3_35 QueryInterface.3_36 QueryInterface.3_37 QueryInterface.3_38 QueryInterface.3_39 QueryInterface.3_40 QueryInterface.3_41 QueryInterface.3_42 QueryInterface.3_43 QueryInterface.3_44 QueryInterface.3_45 QueryInterface.3_46 QueryInterface.3_47 QueryInterface.3_48 QueryInterface.3_49 QueryInterface.3_50 release.1 release.2 verifyjad.1 verifyjad.2 verifyjad.3 verifyjad.4 verifyjad.5 verifyjad.6 verifyjad.7 verifyjad.8 verifyjad.9 verifyjad.88 verifyjar.1 verifyjar.2 verifyjar.4 verifyjar.5 verifyjar.6 verifyjar.7 verifyjar.8 verifyjar.9 		
jams_Sanity (6)	<ul style="list-style-type: none"> AddRef.1 Install_once QueryInterface.2 QueryInterface.4 Release.1 Release.2 	Incorrect test framework configuration. Feature unsupported.	None
jams_Smoke (3)	<ul style="list-style-type: none"> CreatelAppControl CreatelInstall GetlApplfPresent 	Incorrect test framework configuration. Feature unsupported.	None

2.2.6 Media

2.2.6.1 Failures

Feature	Tests	Issue	Impact	Severity
Calls ISound_SetDevice for current AI test	<ul style="list-style-type: none"> sound_setcurrentAITest -> Sound_SetDeviceAITest 	Unable to verify if the tone is played from device	Applications may not be able to play tone on device	High
Headset	<ul style="list-style-type: none"> MediaDevice->MonoAudioFiles_Mono_Headset:44f32r_1_mp3.1 MediaDevice->PlayFile_ISoundDevices_Mono_Headset:44f32r_1_mp3.1 	Unable to set mono headset, stereo	Mono headset, stereo headset,	High

Feature	Tests	Issue	Impact	Severity
	<ul style="list-style-type: none"> MediaDevice->RecordADPCMFile_ISoundDevices_Mono_Headset.1 MediaDevice->RecordADPCMFile_ISoundDevices_Stereo_Bluetooth_Headset.1 MediaDevice->RecordQCPFile_ISoundDevices_Mono_Headset.1 MediaDevice->RecordQCPFile_ISoundDevices_Stereo_Bluetooth_Headset.1 	headset, mono and stereo Bluetooth headsets	mono Bluetooth and stereo Bluetooth headsets will not work	

Issue Severity	High	Medium	Low	Total
Totals	2	0	0	2

2.2.6.2 Unexecuted

Test Module	Tests	Reason	Impact
MediaDevice (1)	<ul style="list-style-type: none"> Beep_ISoundDevices 	Incorrect test framework configuration. Test issue. Feature unverified.	Applications may not be able to play beep sounds through various sound devices supported on the device
UTGIFDecoder (4)	<ul style="list-style-type: none"> Level1_Tests Level2_Tests Level3_Tests Level4_Tests 	Incorrect test framework configuration. Obsolete tests.	None

2.2.7 Networking

2.2.7.1 Failures

Feature	Tests	Issue	Impact	Severity
Socket Routines	<ul style="list-style-type: none"> Socket_Accept.3 Socket_Close.3 	Incorrect test framework configuration. Test issue. Feature unverified.	Network server applications may have failures managing TCP connections	Medium
Socket Port Number Routines	<ul style="list-style-type: none"> SockPort_IPv4_Accept.3 SockPort_IPv4_Close.3 			Medium

Issue Severity	High	Medium	Low	Total
Totals	0	2	0	2

2.2.7.2 Unexecuted

Test Module	Tests	Reason	Impact
None	<ul style="list-style-type: none"> None 	N/A	N/A

2.2.8 Performance

2.2.8.1 Failures

Feature	Tests	Issue	Impact	Severity
Timer Accuracy	<ul style="list-style-type: none"> PerfWatchTest_All 	Device crashes during test execution	Timer accuracy will be affected	Medium

Issue Severity	High	Medium	Low	Total
Totals	0	1	0	1

2.2.8.2 Unexecuted

Test Module	Tests	Reason	Impact
None	• None	N/A	N/A

2.2.9 Security

2.2.9.1 Failures

Feature	Tests	Issue	Impact	Severity
None	• None	N/A	N/A	N/A

Issue Severity	High	Medium	Low	Total
Totals	0	0	0	0

2.2.9.2 Unexecuted

Test Module	Tests	Reason	Impact
None	• None	N/A	N/A

2.2.10 System

2.2.10.1 Failures

Feature	Tests	Issue	Impact	Severity
Shell operation used to launch device web browser	• ShellBrowseUrlAITest_Tel->ShellBrowseURL_Tel_AI	Tel:URL is not supported on reference device. Feature unsupported	None	Low
Interact with Ringer Manager	• RingerMgr_SetRingerAITest->RingerMgrAITest_SetRinger	Unable to set ringer created as default ringer using IRingerMgr API	Applications will not be able to set ringers on device	High
Cellular and WLAN out of coverage events	• Outofcoverage_OOC.2 • Outofcoverage_OOC.3 • Outofcoverage_OOC.4 • Outofcoverage_OOC.5	Getting connection error 554	Applications relying on network will behave unexpectedly while out-of-coverage	Low

Issue Severity	High	Medium	Low	Total
Totals	1	0	2	3

2.2.10.2 Unexecuted

Test Module	Tests	Reason	Impact
MemShareTest (4)	• MemShareTest_TestInterProcExclMap • MemShareTest_TestInterProcMap • MemShareTest_TestInterProcResize • MemShareTest_TestInterProcROGrant	Incorrect test framework configuration. Feature unverified.	Applications may not be able to get info on already mapped regions

2.2.11 Tapi

2.2.11.1 Failures

Feature	Tests	Issue	Impact	Severity
UMTS	<ul style="list-style-type: none"> UMTS_MPDP2.3 	Incorrect test framework configuration. Feature unsupported.	None	Low

Issue Severity	High	Medium	Low	Total
Totals	0	0	1	1

2.2.11.2 Unexecuted

Test Module	Tests	Reason	Impact
None	<ul style="list-style-type: none"> None 	N/A	N/A

2.2.12 Telephony

2.2.12.1 Failures

Feature	Tests	Issue	Impact	Severity
Simple interface for telephony layer	<ul style="list-style-type: none"> Tapi1Test->Tapi1Test_GetStatusIdleState 	Fails to get current phone status in idle mode	Applications may not be able to get phone status in idle mode	High
Perform operations on SIM, RUIM, or CSIM	<ul style="list-style-type: none"> ctfsmartcardiapplication_GetPKCS15TableTest 	Call to smartcard_IApplication_GetPKCS15Table fails	Applications will not be able to store user credentials on smartcards.	Low
	<ul style="list-style-type: none"> ctfsmartcardiapplication_GetCPHSInfoTest 	Fails to make consecutive calls of smartcard_IApplicaition_GetCPHSInfo	Applications will not be able to use smartcard_IApplicaition_GetCPHSInfo	Low
	<ul style="list-style-type: none"> ctfsmartcardiapplication_GetPKCS15TableRspNonPro vAppTest 	Call to smartcard_IApplication_GetPKCS15TableRsp fails	Applications will not be able to store user credentials on smartcards.	Low
	<ul style="list-style-type: none"> ctfsmartcardicard_ICardSendAPDU ctfsmartcardirefresh_CreateInstance ctfsmartcardirefresh_QI_Valid 	Incorrect test framework configuration. Feature unsupported.	None	Low
Personalization features on SIM, RUIM, or CSIM	<ul style="list-style-type: none"> ctfsmartcardiperso_SmartCard_IPerso_Test_ActivateTest1 ctfsmartcardiperso_SmartCard_IPerso_Test_ActivateTest2 ctfsmartcardiperso_SmartCard_IPerso_Test_ActivateTest3 ctfsmartcardiperso_SmartCard_IPerso_Test_ActivateTest4 ctfsmartcardiperso_SmartCard_IPerso_Test_DeactivateTest1 ctfsmartcardiperso_SmartCard_IPerso_Test_DeactivateTest2 ctfsmartcardiperso_SmartCard_IPerso_Test_DeactivateTest3 ctfsmartcardiperso_SmartCard_IPerso_Test_DeactivateTest4 ctfsmartcardiperso_SmartCard_IPerso_Test_UnblockTest2 ctfsmartcardiperso_SmartCard_IPerso_Test_PermDisableTest1 	Fails to personalize smart card	Applications will not be able to use smartcard_IPerso interface	Low

Feature	Tests	Issue	Impact	Severity
	<ul style="list-style-type: none"> ctfsmartcardiperso_SmartCard_IPerso_Test_PermDisableTest2 ctfsmartcardiperso_SmartCard_IPerso_Test_GetPersoOpRspTest1 ctfsmartcardiperso_SmartCard_IPerso_Test_GetDataTest2 ctfsmartcardiperso_SmartCard_IPerso_Test_SetDataTest3 			
PIN management on SIM, RUIM, or CSIM	<ul style="list-style-type: none"> ctfsmartcardipin_DisableAndReplacePin1Test.1 	Fails to perform pin operations on smart card	Applications will not be able to use smartcard_IPin interface	Medium
Telephony	<ul style="list-style-type: none"> Telephone_SetSubscriptionStatus.3 	Fails to get valid system mode	Applications cannot change subscription status	High

Issue Severity	High	Medium	Low	Total
Totals	2	1	5	8

2.2.12.2 Unexecuted

Test Module	Tests	Reason	Impact
ctfmmsEngine (11)	<ul style="list-style-type: none"> ctfmmsEngine_Test10_RecvMMS_Manual ctfmmsEngine_Test21_GetMessage ctfmmsEngine_Test28_SendMessage ctfmmsEngine_Test30_DownloadMessage ctfmmsEngine_Test32_DownloadMessage ctfmmsEngine_Test33_RegisterAppID ctfmmsEngine_Test34_UnregisterAppID ctfmmsEngine_Test36_GetProgress ctfmmsEngine_Test37_GetProgress ctfmmsEngine_Test4_RecvMMS ctfmmsEngine_Test61_Monitor_GetTransaction 	Incorrect test framework configuration. Obsolete tests.	None
ctfsmartcardiperso (8)	<ul style="list-style-type: none"> SmartCard_IPerso_Test_GetDataRspTest2 SmartCard_IPerso_Test_GetPersoOpRspTest2 SmartCard_IPerso_Test_GetSetDataRspTest2 SmartCard_IPerso_Test_GetStateTest SmartCard_IPerso_Test_OnStateChangeTest1 SmartCard_IPerso_Test_OnStateChangeTest2 SmartCard_IPerso_Test_SetDataTest1 SmartCard_IPerso_Test_UnblockTest1 	Incorrect test framework configuration. Feature unverified.	Applications may not be able to personalize smartcard features
ctfsmartcardipin (9)	<ul style="list-style-type: none"> ChangeUnivPinTest CreateDelay DisableAndReplaceUnivPinTest DisableUnivPinTest EnableUnivPinTest GetUniversalPinStatusTest PreCondTestForUnivPinTests RestoreUnivPinStatusTest UnblockUnivPinTest 	Incorrect test framework configuration. Feature unverified.	Applications may not be able to manage PIN features on smartcards
ctfsmartcardirefresh (8)	<ul style="list-style-type: none"> CreateAppInstance GetAvailableAppsRspOnly GetAvailableAppsRspWithoutCB GetCardInvalidSlotID GetCardValidSlotID OnOpComplete QueryInterfaceTestInvalidInterfaceID QueryInterfaceTestValidInterfaceID 	Incorrect test framework configuration. Feature unsupported.	None
ctfsmartcardislots (1)	<ul style="list-style-type: none"> CreateDelay 	Incorrect test framework configuration. Feature unsupported.	None
uitfsmilplayer (58)	<ul style="list-style-type: none"> UITF_SMILPlayerWidget_cbMMSPageDuration UITF_SMILPlayerWidget_cbVerifPageDuration UITF_SMILPlayerWidget_FivePages_Text 	Device crashes during test execution	Applications will not be able to use SMIL to display media

Test Module	Tests	Reason	Impact
	<ul style="list-style-type: none"> UITF_SMILPlayerWidget_OnePage_Audio UITF_SMILPlayerWidget_OnePage_Background UITF_SMILPlayerWidget_OnePage_Foreground UITF_SMILPlayerWidget_OnePage_IAT UITF_SMILPlayerWidget_OnePage_Image_LargeText UITF_SMILPlayerWidget_OnePage_Image_SimpleText UITF_SMILPlayerWidget_OnePage_ImageAudio_LargeText UITF_SMILPlayerWidget_OnePage_ImageAudio_SimpleText UITF_SMILPlayerWidget_OnePage_LargeText_Audio UITF_SMILPlayerWidget_OnePage_LargeText_Image UITF_SMILPlayerWidget_OnePage_LargeText_ImageAudio UITF_SMILPlayerWidget_OnePage_LargeText UITF_SMILPlayerWidget_OnePage_SimpleImage UITF_SMILPlayerWidget_OnePage_SimpleText_Audio UITF_SMILPlayerWidget_OnePage_SimpleText_Image UITF_SMILPlayerWidget_OnePage_SimpleText_ImageAudio UITF_SMILPlayerWidget_OnePage_SimpleText UITF_SMILPlayerWidget_OnePage_Text_Video UITF_SMILPlayerWidget_OnePage_Text UITF_SMILPlayerWidget_OnePage_WbmpImage UITF_SMILPlayerWidget_OngPage_BGFG UITF_SMILPlayerWidget_SixPages_ImageText UITF_SMILPlayerWidget_TenPages_ImageText UITF_SMILPlayerWidget_Test_AddRef_Release UITF_SMILPlayerWidget_Test_AttachmentContent UITF_SMILPlayerWidget_Test_AttachmentEvent UITF_SMILPlayerWidget_Test_AudioMedia UITF_SMILPlayerWidget_Test_DRMContent UITF_SMILPlayerWidget_Test_FocusedInformation UITF_SMILPlayerWidget_Test_GetExtent_SetExtent UITF_SMILPlayerWidget_Test_GetMediaAtPoint UITF_SMILPlayerWidget_Test_GetModel_SetModel UITF_SMILPlayerWidget_Test_GetParent_SetParent UITF_SMILPlayerWidget_Test_GetPreferredExtent UITF_SMILPlayerWidget_Test_ImageMedia UITF_SMILPlayerWidget_Test_LargeTextImageScrollInfo UITF_SMILPlayerWidget_Test_LargeTextVideoScrollInfo UITF_SMILPlayerWidget_Test_LinkInformation UITF_SMILPlayerWidget_Test_MediaContentTest UITF_SMILPlayerWidget_Test_MMSTContentData UITF_SMILPlayerWidget_Test_MMSPageDuration UITF_SMILPlayerWidget_Test_MMSPageStates UITF_SMILPlayerWidget_Test_Performance_Play UITF_SMILPlayerWidget_Test_PlayerInitAPI UITF_SMILPlayerWidget_Test_QueryInterface UITF_SMILPlayerWidget_Test_SetTPDU UITF_SMILPlayerWidget_Test_SMILPlayerListenerEvents UITF_SMILPlayerWidget_Test_TextMedia UITF_SMILPlayerWidget_Test_UnknownAudioMedia UITF_SMILPlayerWidget_Test_UnknownContentTest UITF_SMILPlayerWidget_Test_UnknownVideoMedia UITF_SMILPlayerWidget_Test_VideoMedia UITF_SMILPlayerWidget_TestAPI UITF_SMILPlayerWidget_TwoPages_Image UITF_SMILPlayerWidget_VerifyPageDuration 		content in a MMS message

2.2.13 Ui

2.2.13.1 Failures

Feature	Tests	Issue	Impact	Severity
None	<ul style="list-style-type: none"> None 	N/A	N/A	N/A

Issue Severity	High	Medium	Low	Total
Totals	0	0	0	0

2.2.13.2 Unexecuted

Test Module	Tests	Reason	Impact
UTCootekPTE (3)	• TestAddSameWordTwice_German	Incorrect test framework configuration. Test issue. Feature unverified.	Applications may not be able to handle German words
	• TestAddSameWordTwice_Turkish		Applications may not be able to handle Turkish words
	• UTCootekpte_TestVersion		Applications may not be able to use IVersion interface